

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (currently amended): An optical-quality polarized part comprising:
an optical construct having a bonding surface and comprising a high impact
polyurethane-based optical material; and
a polarizer having a first side and an opposing second side, wherein the first side
of the polarizer is integrally bonded to the optical construct across the entire bonding surface
thereof, in a prescribed place thereon.

Claim 2 (original): An optical-quality polarized part according to claim 1 wherein the polarizer comprises a polyethylene terephthalate film.

C1
Claim 3 (original): An optical-quality polarized part according to claim 1 wherein the polarizer comprises a wafer.

Claim 4 (original): An optical-quality polarized part according to claim 1 wherein the polarizer comprises at least one layer supporting a polyvinyl alcohol film.

Claim 5 (original): An optical-quality polarized part according to claim 1 wherein the optical construct is a lens substrate.

Claim 6 (original): An optical-quality polarized part according to claim 1 wherein the high impact polyurethane-based optical material comprises a polyurethane prepolymer reacted with a diamine curing agent.

Claim 7 (original): An optical-quality polarized part according to claim 6 wherein the high impact polyurethane-based optical material comprises a dye or colorant, a stabilizer, or a stiffener.

C1
end

Claim 8 (original): An optical-quality polarized part according to claim 6 wherein the prepolymer comprises up to about 12 molar percent trimethylol propane.

Claim 9 (original): An optical-quality polarized part according to claim 6 wherein prepolymer is reacted with the diamine curing agent in an equivalent ratio of about 0.9 to 1.1 $\text{NH}_2/1.0 \text{NCO}$.

C2

Claim 10 (previously amended): An optical-quality polarized part according to claim 1 wherein the high impact polyurethane-based optical material comprises a reaction product of (a) a polyurethane prepolymer prepared by reaction of methylenebis(cyclohexyl isocyanate) with an OH-containing intermediate having a weight average molecular weight between about 500 and about 1,200 selected from the group consisting of polyester glycols, polyether glycols, and mixtures thereof in an equivalent ratio of 2.5 to 4.0 $\text{NCO}/1.0 \text{OH}$ and (b) an aromatic diamine curing agent in an equivalent ratio of about 0.9 to 1.1 $\text{NH}_2/1.0 \text{NCO}$.

C3

Claim 11 (original): An optical-quality polarized part according to claim 1, further comprising a hard coating, wherein the hard coating is integrally bonded to the optical construct.

Claim 12 (original): An optical-quality polarized part according to claim 1, further comprising a hard coating, wherein the hard coating is integrally bonded to the polarizer.

Claims 13-30 (previously canceled)

Claim 31 (currently canceled)

C4

Claim 32 (original): An optical-quality polarized part according to claim 1 wherein the polarizer has a first side and an opposing second side, wherein the first side and the second side of the polarizer are bonded to the optical construct.

Claim 33 (original): An optical-quality polarized part according to claim 1 wherein the polarizer is bonded to the optical construct after the optical construct has been formed.

CS
end

Claim 34 (original): An optical-quality polarized part according to claim 1 wherein the optical construct has a front surface and an opposing rear surface, wherein the polarizer is bonded to the optical construct at or near the front surface.

Claim 35 (original): An optical-quality polarized part according to claim 1 wherein the polarizer is treated for bonding to the optical construct.

cl

Claim 36 (previously added): An optical-quality polarized part according to claim 1 wherein the polarizer has a thickness of less than 1 mm.

Claim 37 (previously added): An optical-quality polarized part according to claim 1 wherein the polarizer has a thickness of less than 0.2 mm.

Claim 38 (previously added): An optical-quality polarized part according to claim 1 wherein the polarizer is a wafer comprising a material selected from the group consisting of polycarbonate, poly(methyl methacrylate), polystyrene, cellulose acetate butyrate (CAB), cellulose acetate, and cellulose triacetate.
